Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S19	3	"0743775"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 16:19
S20	11	"743775"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 16:22
S21	32	"4974193"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 16:35
S22	436063	(modification modif$4 alter$3 chang$3 disguis$3 var$4) with (function algorithm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 16:49
S23	31515	(modification modif$4 alter$3 chang$3 disguis$3 var$4) with (function algorithm) same (modification modif$4 alter$3 chang$3 disguis$3 var$4) with (input)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 16:50
S24	2944	(modification modif$4 alter$3 chang$3 disguis$3 var$4) near2 (function algorithm) same (modification modif$4 alter$3 chang$3 disguis$3 var$4) near2 (input)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 16:50
S25	35	(modification modif$4 alter$3 chang$3 disguis$3 var$4) near2 (function algorithm) same (modification modif$4 alter$3 chang$3 disguis$3 var$4) near2 (input) with (result output) with (identical "same" "similar")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 16:51
S26	21	(modification modif$4 alter$3 chang$3 disguis$3 var$4) near2 (function algorithm) with (modification modif$4 alter$3 chang$3 disguis$3 var$4) near2 (input) with (result output) with (identical "same" "similar")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 16:52

S27	49	(modification modif$4 alter$3 chang$3 disguis$3 var$4) near2 (operation function algorithm) with (modification modif$4 alter$3 chang$3 disguis$3 var$4) near2 (input$4) with (result$3 output$3) with (identical "same" "similar")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 17:01
S28	28	S27 not S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 16:53
S29	1886	(modification modif$4 alter$3 chang$3 disguis$3 var$4) with (operation function algorithm) with (modification modif$4 alter$3 chang$3 disguis$3 var$4) with (input$4) with (result$3 output$3) with (identical "same" "similar")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 17:02
S30	173	(modification modif$4 alter$3 chang$3 disguis$3 var$4) with (operation function algorithm) with (modification modif$4 alter$3 chang$3 disguis$3 var$4) with (input$4) with (result$3 output$3) with (identical "same" "similar") and (random$4) with (value code number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 18:22
S31	426	(modification modif$4 alter$3 chang$3 disguis$3 var$4 xor$3 exor$3 random$5) with (operation function algorithm computation) with (modification modif$4 alter$3 chang$3 disguis$3 var$4 xor$3 exor$3 random$5) with (input$4) with (result$3 output$3 generat$3 comput$3 obtain$3) with (identical "same" "similar") and (random$4) with (value code number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 18:47
S32	253	S31 not S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 18:26

S33	24	(modification modif$4 alter$3 chang$3 disguis$3 var$4 xor$3 exor$3 random$5) with (operation function algorithm computation table) same (modification modif$4 alter$3 chang$3 disguis$3 var$4 xor$3 exor$3 random$5) with (input$4) with (result$3 output$3 generat$3 comput$3 obtain$3) with (identical "same" "similar") with (original initial) with (operation function algorithm computation table) and (random$4) with (value code number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 18:52
S34	1	(modification modif$4 alter$3 chang$3 disguis$3 var$4 xor$3 exor$3 random$5 scrambl$3 encrypt$3) with input with (operation function algorithm computation table) with both with (result$3 output$3 generat$3 comput$3 obtain$3) with (identical "same" "similar") with (original initial) near2 (operation function algorithm computation table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 18:55
S35	14	(modification modif$4 alter$3 chang$3 disguis$3 var$4 xor$3 exor$3 random$5 scrambl$3 encrypt$3) with input with (operation function algorithm computation table) with (result$3 output$3 generat$3 comput$3 obtain$3) with (identical "same" "similar") with (original initial) near2 (operation function algorithm computation table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 18:58
S36	434	(modification modif$4 alter$3 chang$3 disguis$3 var$4 xor$3 exor$3 random$5 scrambl$3 encrypt$3) same input with (operation function algorithm computation table) same (result$3 output$3 generat$3 comput$3 obtain$3) with (identical "same" "similar") same (original initial) with (operation function algorithm computation table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 19:04

S37	1958	(result$3 output$3 value data key sequence number) near2 (identical "same" "similar") with (different modification modif$4 alter$3 chang$3 disguis$3 var$4 random$5) near (operation function algorithm computation table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 19:06
S38	176	(result$3 output$3 value data key sequence number) near2 (identical "same" "similar") with (different modification modif$4 alter$3 chang$3 disguis$3 var$4 random$5) near (operation function algorithm computation table) and (hid$3 protect$4 disguis$4 conceal$3) with (attack$3 key hacker unauthoriz$4 guess$4 trial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 19:09
S39	22	("same" equivalent equal) near2 (output result secret deriv$5) with (original or initial) same (modif$5 chang$3 alter$4 disguis$4) near2 (input$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:15
S40	0	("same" equivalent equal) near2 (output result secret deriv$5) with (original or initial) same (modif$5 chang$3 alter$4 disguis$4) near2 (input$5) same (modif$5 chang$3 alter$4 disguis$4) near2 (operation function algorithm f)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:14
S41	23	("same" equivalent equal) near2 (output result secret deriv$5 calculation computation) with (original or initial) same (modif$5 chang$3 alter$4 disguis$4) near2 (input$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:17
S42	1	S41 not S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:16
S43	105	("same" equivalent equal) with (output result secret deriv$5 calculation computation) with (original or initial) same (modif$5 chang$3 alter$4 disguis$4) near2 (input$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:17

S44	54	("same" equivalent equal) with (output result secret deriv$5 calculation computation) with (original or initial) same (modif$5 chang$3 alter$4 disguis$4) near2 (input$5) and (replay or attack or repetition or repeat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:22
S45	178806	(prevent$4 control$4) with (replay or attack or repetition or repeat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:23
S46	43511	(prevent$4 control$4) near2 (replay or attack or repetition or repeat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:24
S47	1345	(prevent$4 control$4) near2 (replay or attack or repetition or repeat$4) and input$4 with random$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:25
S48	18	(prevent$4 control$4) near2 (replay or attack or repetition or repeat$4) and (input$4 with random$4) same (((output$4 result$4) near2 ("same" equivalent equal)) or (("not" "no") near (alter$4 chang$3 modify$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:45
S49	1	("6295606").URPN.	USPAT	OR	ON	2004/12/29 17:32
S50	2	("5168521" | "5796837").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/29 17:33
S51	6106	(prevent$4 control$4) near2 (replay or attack or repetition or repeat$4) and ((((output$4 result$4) near2 ("same" equivalent equal identical)) or (("not" "no") near (alter$4 chang$3 modify$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:47
S52	655	(prevent$4 control$4) near2 (replay or attack or repetition or repeat$4) and ((((output$4 result$4) near2 ("same" equivalent equal identical)) or (("not" "no") near (alter$4 chang$3 modify$4))) with (original first initial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:47

S53	655	(prevent$4 control$4) near2 (replay or attack or repetition or repeat$4) and (((output$4 result$4) near2 ("same" equivalent equal identical)) or (("not" "no") near (alter$4 chang$3 modify$4 mask$3))) with (original first initial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:48
S54	660	(prevent$4 control$4) near2 (replay or attack or repetition or repeat$4) and (((output$4 result$4 plaintext) near2 ("same" equivalent equal identical)) or (("not" "no") near (alter$4 chang$3 modify$4 mask$3))) with (original first initial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:49
S55	648	(prevent$4 control$4) near2 (replay or attack or repetition or repeat$4) and (((output$4 result$4 plaintext) near2 ("same" equivalent equal identical)) or (("not" "no") near (alter$4 chang$3 modify$4 mask$3))) with (original first initial) and (xor$3 exor$3 operation algorithm operation function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:50
S56	34	(prevent$4 control$4) near2 (replay or attack or repetition or repeat$4) and (((output$4 result$4 plaintext) near2 ("same" equivalent equal identical)) or (("not" "no") near (alter$4 chang$3 modify$4 mask$3))) with (original first initial) same (xor$3 exor$3 operation algorithm operation function table lookup) with (alter$4 chang$3 modify$4 mask$3 disguis$3 conceal$3 hid$3 hidden)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 17:52
S57	6	("5123045" | "5509070" | "5659754" | "5666411" | "5748741" | "5768596").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/29 18:38
S58	7	("4908038"|"4932053"|"5606616"|"6049613"|"6061449"|"6069954"|"6373946").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/29 19:46
S59	44409	(falsif$3 disguis$3 mask$3) with (function operation)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/29 19:48
S60	44409	(falsif$3 disguis$3 mask$3) with (function operation) and (falsif$3 disguis$3 mask$3) with (function operation)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/29 19:49

S61	6845	(falsif$3 disguis$3 mask$3) with (function operation) and (falsif$3 disguis$3 mask$3) with (input)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/29 19:50
S62	2178	(falsif$3 disguis$3 mask$3) with (function operation) and (falsif$3 disguis$3 mask$3) with (input) and (output$4 result$4 plaintext) near2 ("same" equivalent equal identical)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/29 19:51
S63	406	(falsif$3 disguis$3 mask$3) with (function operation) and (falsif$3 disguis$3 mask$3) with (input) and (output$4 result$4 plaintext) near2 ("same" equivalent equal identical) with (original first initial)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/29 19:53
S64	70	(falsif$3 disguis$3 mask$3) with (function operation) and (falsif$3 disguis$3 mask$3) with (input) and (output$4 result$4 plaintext) near2 ("same" equivalent equal identical) with (original first initial) and card	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/29 19:53
S65	2	("5168521" | "5796837").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/30 14:28